


www.avfgroup.com



468347 rev00



50kg
110lbs



Read through ALL instructions before commencing installation.

Please don't return me to the store

If you are unsure or need advice
please contact our **UK-based support team:**




0333 320 0463 | avfgroup.com


Phone lines open Mon-Fri during AVF office hours

Assembly Overview


Fit the TV Mounting Plate




Fit the Wall Bracket




Connect the TV



Suitable Wall Types




Solid Wall




Wood Stud


Tools Recommended







Stud Finder



**Ø8mm (5/16'')
Masonry**



**Ø3mm (1/8'')
Wood**



Index

1 Measure the TV fixing holes Width and Height

2 Fitting the TV Brackets

3 Fitting the Wall Bracket

4 Connecting the TV

5 To Remove the TV

Retain all packaging in case the bracket needs to be returned.

Contents may vary from photography/illustrations.

You will not need all these parts, so expect there to be some left over depending upon the specification of your TV.

This product is intended for indoor use only. Use of this product outdoors could lead to failure and personal injury.

It is the responsibility of the installer to ensure that the mounting wall is of a suitable standard and void of any services (eg gas, electricity, water etc).

AVF accept no responsibility for any damage or loss caused by installing this product in a sub standard wall.



10 YEAR WARRANTY






This product comes with a 10 Year Warranty.


This will be honoured as long as the product is owned by the original consumer purchaser. Proof of purchase is required.

For detailed warranty information please visit: www.avfgroup.com/warranties

Boxed Parts




TV Screws, Reducers and Spacers



x4

x4

x4



16mm

30mm

25mm


45mm

x4


x4

x4


x4



x4




x4

1**Measure the TV fixing holes Width and Height**

If width **(X)** is greater than 600mm or height **(Y)** greater than 400 mm
STOP installation now and contact the customer help line.

You are provided with 2 diameters of TV fixing screws, **M6** and **M8**.
Determine the screw diameter that fits and remember for step 2.




2

Fitting the TV Brackets

No Spacers


For TVs with flat / unobstructed back.







Spacers

D1/D2


For TVs with irregular / obstructed back.



WARNING





After completing step 2 you will have fittings left over, please keep for future reference.






Attach the bracket to the back of your TV using suitable screw, reducer and spacer combinations.

Solid Wall





Remove Dust from Hole.

Wood Stud




Ensure drill marks are in the centre of the wood stud.




F

G



F x4




G x4




Lubricate screw thread with soap.



DO NOT overtighten screws.
Tighten screws by hand only.



F




F x4




Lubricate screw thread with soap.



DO NOT overtighten screws.
Tighten screws by hand only.



5 To Remove the TV



Pull both cords at the same time.